UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/523,706	07/31/2008	Albert K. Tai	EX03-059C-US	9877	
	7590 01/21/201 BOEHNEN HULBER	0 RT @ BERGHOFF LLP	EXAM	IINER	
300 SOUTH W	ACKER DRIVE	GODDARD, LAURA B			
SUITE 3100 CHICAGO, IL	60606		ART UNIT	ART UNIT PAPER NUMBER	
			1642		
			MAIL DATE	DELIVERY MODE	
			01/21/2010	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comment	10/523,706	TAI ET AL.				
Office Action Summary	Examiner	Art Unit				
	LAURA B. GODDARD	1642				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	-			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	l. ely filed the mailing date of this communica D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>04 Fe</u>	shruary 2005					
	action is non-final.					
3) Since this application is in condition for allowar		socution as to the morits	· ic			
closed in accordance with the practice under E) IS			
closed in accordance with the practice under L	x parte Quayle, 1955 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-25</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdray	vn from consideration.					
5) Claim(s) is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are rejected.						
·	de etiene ne eurine ne ent					
8)⊠ Claim(s) <u>1-25</u> are subject to restriction and/or e	election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
TT) The Oatif of declaration is objected to by the Ex	anniner. Note the attached Office	ACTION OF TO 102.	<u>-</u>			
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of the priorical statements 	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te				

Election/Restrictions

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I claim(s) 1-12, 16-19, drawn to the special technical feature of a method of identifying a candidate RB pathway modulating agent, said method comprising the steps of: (a) providing an assay system comprising a PSMC polypeptide or nucleic acid; (b) contacting the assay system with a test agent under conditions whereby, but for the presence of the test agent, the system provides a reference activity; and (c) detecting a test agent-biased activity of the assay system, wherein a difference between the test agent-biased activity and the reference activity identifies the test agent as a candidate RB pathway modulating agent.

Group II, claim(s) 13-15 and 20-22 drawn to the special technical feature of a method for modulating a RB pathway of a cell comprising contacting a cell defective in RB function with a candidate modulator that specifically binds to a PSMC polypeptide, whereby RB function is restored; a method of modulating RB pathway in a mammalian cell comprising contacting the cell with an agent that specifically binds a PSMC polypeptide.

Group III, claim(s) 20-22, drawn to the special technical feature of a method of modulating RB pathway in a mammalian cell comprising contacting the cell with an agent that specifically binds a PSMC nucleic acid.

Group IV, claim(s) 23-25, drawn to the special technical feature of a method for diagnosing a disease in a patient comprising:

- (a) obtaining a biological sample from the patient;
- (b) contacting the sample with a probe for PSMC expression;
- (c) comparing results from step (b) with a control;
- (d) determining whether step (c) indicates a likelihood of disease.

The inventions listed as Groups I-IV do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: The technical feature linking Groups I-IV appears to be a PSMC polypeptide.

However, said technical feature does <u>not</u> constitute a special technical feature in view of Park et al (PNAS, 1999, 96:6434-6438). Park et al teach a PSMC polypeptide, Tat-binding protein 1 (TBP1). As evidenced by iHOP, "PSMC3," TBP1 is another name for PMSC3 (26S subunit, ATPase, 3).

Therefore, the technical feature linking the inventions of Groups I-IV does not constitute a special technical feature as defined by PCT Rule 13.2 as it does not define a contribution over the prior art. Accordingly, Groups I-IV are not so linked by the same

or a corresponding special technical feature as to form a single general incentive concept and restriction for examination purposes as indicated is proper.

SPECIES ELECTIONS

Species Election for Group I

A. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species of assay system are as follows (claim 1):

- (a) assay system comprising a PSMC polypeptide, or
- (b) assay system comprising a PSMC polynucleotide.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each assay system requires a structurally distinct molecule.

B. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species of assay are as follows:

Art Unit: 1642

(a) screening assay (claim 4),

(b) ATPase assay (claim 5),

(c) apoptosis assay (claim 6),

(d) cell proliferation assay (claim 6),

(e) angiogenesis assay (claim 6),

(f) hypoxic induction assay (claim 6),

(g) binding assay (claim 7), or

(h) expression assay (claim 8-10).

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each assay is functionally distinct requiring different method steps, reagents, variables, and criteria for success.

C. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species of methods steps are as follows:

(a) further comprising step (d) (claim 11),

(b) further comprising steps (e)-(g) (claim 16), or

(c) not further comprising steps (d) or (e)-(g).

Art Unit: 1642

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each method requires different steps, reagents, variables and criteria for success.

If Applicants choose the species of "(a) further comprising step (d) (claim 11)" or "(b) further comprising steps (e)-(g) (claim 16)" in C above, Applicants must elect a species in D below:

D. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species of system for the second assay system are as follows:

- (a) cultured cells (claim 17), or
- (b) non-human animal (claims 12, 18, 19).

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each assay system requires a physiologically distinct population of cells and model system.

Art Unit: 1642

Species Election for Group II

E. This application contains claims directed to more than one species of the generic

invention. These species are deemed to lack unity of invention because they are not so

linked as to form a single general inventive concept under PCT Rule 13.1.

The species of cell system are as follows:

(a) cultured cells, or

(b) animal (claim 14, 21).

The species listed above do not relate to a single general inventive concept under PCT

Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding

special technical features for the following reasons: Each assay system requires a

physiologically distinct population of cells and model system.

F. This application contains claims directed to more than one species of the generic

invention. These species are deemed to lack unity of invention because they are not so

linked as to form a single general inventive concept under PCT Rule 13.1.

The species of modulator are as follows:

(a) antibody (claim 15, 22),

(b) small molecule (claim 15, 22),

(c) nucleic acid modulator (claim 22).

The species listed above do not relate to a single general inventive concept under PCT

Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding

Art Unit: 1642

special technical features for the following reasons: Each modulator is structurally and

functionally distinct.

Species Election for Group III

G. This application contains claims directed to more than one species of the generic

invention. These species are deemed to lack unity of invention because they are not so

linked as to form a single general inventive concept under PCT Rule 13.1.

The species of cell system are as follows:

(a) cultured cells, or

(b) animal (claim 21).

The species listed above do not relate to a single general inventive concept under PCT

Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding

special technical features for the following reasons: Each assay system requires a

physiologically distinct population of cells and model system.

H. This application contains claims directed to more than one species of the generic

invention. These species are deemed to lack unity of invention because they are not so

linked as to form a single general inventive concept under PCT Rule 13.1.

The species of modulator are as follows:

(a) antibody (claim 22),

(b) small molecule (claim 22),

(c) nucleic acid modulator (claim 22).

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each modulator is structurally and functionally distinct.

Species Election for Group IV

I. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species of PSMC expression measured are as follows (claim 23):

- (a) protein expression, or
- (b) nucleic acid expression.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each expression requires distinct reagents or probes for measurement, requires different methods steps, variables, and criteria for success.

J. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species of cancer are as follows (claim 25): Elect a cancer from Table 1.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each cancer is physiologically and etiologically distinct.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does

Art Unit: 1642

not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAURA B. GODDARD whose telephone number is (571)272-8788. The examiner can normally be reached on 7:00am-3:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Larry Helms can be reached on 571-272-0832. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1642

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Laura B Goddard/ Primary Examiner, Art Unit 1642